

WEB SPRAY CONTACT ADHESIVE



| Description | Contents | Art. No. | Pack/Qty |
|-------------|----------|---------------------|----------|
| Aerosol can | 500 ml | 0893 100 050 | 1 |

Technical Data:

| | |
|--------------------------|--|
| Type: | aerosol adhesive. |
| Colour: | light beige. |
| Base: | synthetic rubber/resin. |
| Application method: | aerosol spray. |
| Application temperature: | 5°C to 40°C. |
| Drying time: | 2 - 5 minutes. |
| Clean up: | Industrial cleaner Art. No: 0893 140 |
| Storage life: | 12 months when stored between 5°C and 25°C in clean dry unopened containers. |
| Packaging: | 500 ml aerosol cans |

Your advantages:

- Variable spray nozzle.
- Three position spray pattern.
- High strength.
- Foaming formula for low soak-in.
- Halogen and CFC free.
- Economical in use.
- Colour: light beige.

Application:

Shake well before use. Select spray pattern by turning nozzle to desired setting. Surfaces should be clean, dry and free from grease. Spray adhesive from 6" - 8" away on both surfaces. One surface for a temporary bond, both surfaces for a permanent bond. Allow adhesive to dry for 2-5 minutes before bonding. Excess adhesive can be removed using Industrial Cleaner (art no. 0893 140). To prevent nozzle clogging invert can after use and spray until nozzle is clear of adhesive.

Not suitable for use on Plasticised PVC or Expanded Polystyrene.

With this information we want to advise you to the best of our knowledge based on our tests and experience. Preliminary testing required! For further information see the technical data leaflet.