According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version Revision Date: SDS Number: Date of last issue: 25.02.2022 1.1 30.03.2022 10619974-00002 Date of first issue: 25.02.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : WIT-PE 1000, 1400ml (A)

Product code : 5918605140 (A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub: Construction material, Dual-component adhesive

stance/Mixture Professional use product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Wurth UK Ltd

1 Centurion Way Erith, Kent

Telephone : +44 (0)3300 555 444

Telefax : +44 (0)3300 555 666

E-mail address of person responsible for the SDS

prodsafe@wuerth.com

#### 1.4 Emergency telephone number

+44 (0)870 190 6777

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :





Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

•			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
2,2'-[(1-Methylethylidene)bis(4,1-	1675-54-3	Skin Irrit. 2; H315	>= 50 - < 70
phenyleneoxymethylene)]bisoxirane	216-823-5	Eye Irrit. 2; H319	
	603-073-00-2	Skin Sens. 1; H317	
	01-2119456619-26	Aquatic Chronic 2;	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

		H411 ———————————————————————————————————	
Quartz (SiO2)	14808-60-7 238-878-4	STOT RE 1; H372 (Lungs)	>= 30 - < 50
Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)	933999-84-9 01-2119463471-41	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Aquatic Chronic 3; H412	>= 10 - < 20

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Not applicable

Will not burn

Unsuitable extinguishing

media

Not applicable Will not burn

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Chlorine compounds

Silicon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so.

Evacuate area.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing dust, fume, gas, mist, vapours or spray.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version **Revision Date:** SDS Number: Date of last issue: 25.02.2022 1.1 30.03.2022 10619974-00002 Date of first issue: 25.02.2022

Advice on common storage No special restrictions on storage with other products.

Storage period : 18 Months

Recommended storage tem- : 5 - 25 °C

perature

7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0.1 mg/m3 (Silica)	GB EH40
	Further information: Capable of causing cancer and/or heritable genetic damage.			
		TWA (Respirable dust)	0.1 mg/m3	2004/37/EC
	Further information: Carcinogens or mutagens			

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Quartz (SiO2)

### **Derived No Effect Level (DNEL):**

Substance name	End Use	Exposure routes	Potential health effects	
Reaction products of hexane-1,6-diol with 2- (chloromethyl)oxirane (1:2)	Workers	Inhalation	Long-term systemic effects	10.57 mg/m3
	Workers	Inhalation	Acute systemic effects	10.57 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0.44 mg/m3
	Workers	Skin contact	Long-term systemic effects	6 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	0.0226 mg/cm2
	Workers	Skin contact	Acute local effects	0.0226 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	5.29 mg/m3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

	Consumers	Inhalation	Acute systemic effects	5.29 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0.27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	1.7 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0.0136 mg/cm2
	Consumers	Skin contact	Acute local effects	0.0136 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	1.5 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	1.5 mg/kg bw/day
2,2'-[(1- Methylethyli- dene)bis(4,1- phenyleneoxymeth- ylene)]bisoxirane	Workers	Inhalation	Long-term systemic effects	12.25 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	12.25 mg/m3
	Workers	Skin contact	Long-term systemic effects	8.33 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	8.33 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	3.571 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	3.571 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.75 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	0.75 mg/kg bw/day

### **Predicted No Effect Concentration (PNEC):**

Substance name	Environmental Compartment	Value
Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)	Fresh water	0.011 mg/l
	Freshwater - intermittent	0.115 mg/l
	Marine water	0.001 mg/l
	Sewage treatment plant	1 mg/l
	Fresh water sediment	0.283 mg/kg dry weight (d.w.)
	Marine sediment	0.028 mg/kg dry weight (d.w.)
	Soil	0.223 mg/kg dry weight (d.w.)
2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymeth-	Fresh water	0.006 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version Revision Date: SDS Number: Date of last issue: 25.02.2022 1.1 30.03.2022 10619974-00002 Date of first issue: 25.02.2022

ylene)]bisoxirane		
	Freshwater - intermittent	0.018 mg/l
	Marine water	0.001 mg/l
	Marine water - intermittent	0.002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.996 mg/kg dry weight (d.w.)
	Marine sediment	0.1 mg/kg dry weight (d.w.)
	Soil	0.196 mg/kg dry weight (d.w.)
	Secondary Poisoning	11 mg/kg food

### 8.2 Exposure controls

### **Engineering measures**

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Safety goggles

Equipment should conform to BS EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.7 mm

Directive : Equipment should conform to BS EN 374

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical re-

sistance data and an assessment of the local exposure poten-

tial.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version Revision Date: SDS Number: Date of last issue: 25.02.2022 1.1 30.03.2022 10619974-00002 Date of first issue: 25.02.2022

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : beige

Odour : No data available

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Will not burn

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Density : 1.45 g/cm³ (20 °C)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

9.2 Other information

Particle size : No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None.

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Information on likely routes of : Skin contact exposure Ingestion

Eye contact

### **Acute toxicity**

Not classified based on available information.

### **Components:**

### ${\bf 2,2'\text{-}[(1\text{-}Methylethylidene)bis(4,1\text{-}phenyleneoxymethylene)]} bis oxirane:$

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version **Revision Date:** SDS Number: Date of last issue: 25.02.2022 30.03.2022 10619974-00002 Date of first issue: 25.02.2022 1.1

Quartz (SiO2):

Acute oral toxicity LD50 (Rat): > 22,500 mg/kg

Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.035 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

LD50 (Rat): > 2,000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Result Skin irritation

Remarks Based on harmonised classification in EU regulation

1272/2008, Annex VI

Quartz (SiO2):

Species Rabbit

Method **OECD Test Guideline 404** 

Result No skin irritation

Remarks Based on data from similar materials

Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

**Species** Rabbit Result Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Result Irritation to eyes, reversing within 21 days

Remarks Based on harmonised classification in EU regulation

1272/2008, Annex VI

Quartz (SiO2):

**Species** Rabbit

Method OECD Test Guideline 405

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version Revision Date: SDS Number: Date of last issue: 25.02.2022
1.1 30.03.2022 10619974-00002 Date of first issue: 25.02.2022

Result : No eye irritation

Remarks : Based on data from similar materials

Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

### 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

### Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in hu-

mans

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

### 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: equivocal

Test Type: Chromosome aberration test in vitro

Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version **Revision Date:** SDS Number: Date of last issue: 25.02.2022 30.03.2022 10619974-00002 Date of first issue: 25.02.2022 1.1

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

Test Type: Bacterial reverse mutation assay (AMES) Genotoxicity in vitro

Method: OECD Test Guideline 471

Result: positive

Genotoxicity in vivo Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species Rat **Application Route** Ingestion Exposure time 24 Months

Method **OECD Test Guideline 453** 

Result negative

**Species** Mouse Application Route Skin contact Exposure time 24 Months

Method **OECD Test Guideline 453** 

Result negative

Reproductive toxicity

Not classified based on available information.

**Components:** 

2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

Test Type: Embryo-foetal development ment

Species: Rabbit

Application Route: Skin contact

Result: negative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

### Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### **Components:**

### 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Assessment : No significant health effects observed in animals at concentra-

tions of 200 mg/kg bw or less.

### Quartz (SiO2):

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Lungs

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

### Repeated dose toxicity

### **Components:**

### 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: RatNOAEL: 50 mg/kgLOAEL: 250 mg/kgApplication Route: IngestionExposure time: 90 Days

Method : OECD Test Guideline 408

Species : Mouse
NOAEL : >= 100 mg/kg
Application Route : Skin contact
Exposure time : 13 Weeks

Method : OECD Test Guideline 411

Quartz (SiO2):

Species : Humans LOAEL : 0.053 mg/m3 Application Route : Inhalation

Remarks : These substance(s) are inextricably bound in the product and

therefore do not contribute to a dust inhalation hazard.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version **Revision Date:** SDS Number: Date of last issue: 25.02.2022 30.03.2022 10619974-00002 Date of first issue: 25.02.2022 1.1

### Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

**Species** Rat

NOAEL 300 mg/kg Application Route Ingestion Exposure time 90 Days

Method **OECD Test Guideline 408** 

### **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

### 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish LL50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Scenedesmus capricornutum (fresh water algae)): > 10

- 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

NOELR (Scenedesmus capricornutum (fresh water algae)): >

1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to microorganisms IC50 : > 100 mg/l

Exposure time: 3 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.1 - 1 mg/lExposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

#### Quartz (SiO2):

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version Revision Date: SDS Number: Date of last issue: 25.02.2022 1.1 30.03.2022 10619974-00002 Date of first issue: 25.02.2022

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 508 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 731 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 30 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 47 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

#### 12.2 Persistence and degradability

#### **Components:**

### 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 5 % Exposure time: 28 d

Method: OECD Test Guideline 301F

#### Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 47 % Exposure time: 28 d

Method: OECD Test Guideline 301D

### 12.3 Bioaccumulative potential

#### **Components:**

### 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Partition coefficient: n-

octanol/water

: log Pow: 3.5

#### Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2):

Partition coefficient: n- : log Pow: 0.822

octanol/water Method: OECD Test Guideline 107

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product

08 04 09, waste adhesives and sealants containing organic

solvents or other hazardous substances

unused product

08 04 09, waste adhesives and sealants containing organic

solvents or other hazardous substances

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

### **SECTION 14: Transport information**

#### 14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane)

**IATA** : Environmentally hazardous substance, solid, n.o.s.

(2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane)

### 14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

### 14.4 Packing group

**ADN** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**ADR** 

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

**RID** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

Version **Revision Date:** SDS Number: Date of last issue: 25.02.2022 30.03.2022 10619974-00002 Date of first issue: 25.02.2022 1.1

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

UK REACH List of substances subject to authorisation

(Annex XIV)

E2

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Quantity 1

200 t

Quantity 2

500 t

: Not applicable

Seveso III Directive (2012/18/EU) implemented by Control of Major Accident Hazards Regulations

2015 (COMAH)

**ENVIRONMENTAL** 

**HAZARDS** 

Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.1 %, 1.45 g/l

Remarks: VOC content excluding water

#### 15.2 Chemical safety assessment

Volatile organic compounds

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

Other information Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

**Full text of H-Statements** 

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

exposure if inhaled.

H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2004/37/EC / TWA : Long term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Sources of key data used to : compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## WIT-PE 1000, 1400ml (A)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.02.2022

 1.1
 30.03.2022
 10619974-00002
 Date of first issue: 25.02.2022

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method
Eye Irrit. 2 H319 Calculation method
Skin Sens. 1 H317 Calculation method
Aquatic Chronic 2 H411 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN