according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
15.0	26.02.2021	331788-00008	Date of first issue: 18.04.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name : BASIC WIT-PM 200 - 300 ML (comp. B) Product code : 5918242300 Unique Formula Identifier : WHM0-20F6-R00A-0YQW

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: Hardener
stance/Mixture	Professional use product

1.3 Details of the supplier of the safety data sheet

Company	:	Adolf Wuerth GmbH & Co. KG Reinhold-Würth-Str. 12-17 74653 Künzelsau
Telephone	:	+49 794015 0
Telefax	:	+49 794015 10 00
E-mail address of person responsible for the SDS	:	prodsafe@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	2/2008)
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

2

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version 15.0	Revision Date: 26.02.2021	SDS Number: 331788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013
Hazar	d statements		se an allergic skin reaction. serious eye irritation.
Preca	utionary statements		eathing dust/ fume/ gas/ mist/ vapours/ spray. otective gloves/ eye protection/ face protection.
		advice/ attention P337 + P313 I attention.	f skin irritation or rash occurs: Get medical f eye irritation persists: Get medical advice/ Take off contaminated clothing and wash it
		Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste

Hazardous components which must be listed on the label:

Dibenzoyl peroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Dibenzoyl peroxide	94-36-0 202-327-6 617-008-00-0 01-2119511472-50	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20



according to Regulation (EC) No. 1907/2006

BASIC WIT-PM 200 - 300 ML (comp. B)

Version 15.0	Revision Date: 26.02.2021	SDS Number: 331788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013		
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10		
Quart	Z	14808-60-7 238-878-4	Carc. 1A; H350i STOT RE 2; H373 (Lungs)	>= 1 - < 10	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. Protection of first-aiders First Aid responders should pay attention to self-protection, : and use the recommended personal protective equipment when the potential for exposure exists (see section 8). If inhaled If inhaled, remove to fresh air. : Get medical attention if symptoms occur. In case of contact, immediately flush skin with plenty of water. In case of skin contact : Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. If swallowed If swallowed, DO NOT induce vomiting. 5 Get medical attention if symptoms occur. Rinse mouth thoroughly with water. 4.2 Most important symptoms and effects, both acute and delayed Risks May cause an allergic skin reaction. • Causes serious eye irritation. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically and supportively.

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
15.0	26.02.2021	331788-00008	Date of first issue: 18.04.2013

SECTION 5: Firefighting measures

5.1 Extinguishing media

	Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
	Unsuitable extinguishing media	:	High volume water jet
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
	Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides
5.3	Advice for firefighters		

5.

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material.
		For large spills, provide dyking or other appropriate contain-
		ment to keep material from spreading. If dyked material can
		be pumped, store recovered material in appropriate container.

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version	Revision Date: 26.02.2021	SDS Number:	Date of last issue: 21.12.2020
15.0		331788-00008	Date of first issue: 18.04.2013
		bent. Local or nationa posal of this ma employed in the mine which regu Sections 13 and	ning materials from spill with suitable absor- Il regulations may apply to releases and dis- terial, as well as those materials and items cleanup of releases. You will need to deter- ulations are applicable. I 15 of this SDS provide information regarding national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
	Local/Total ventilation	:	Use only with adequate ventilation.
	Advice on safe handling	:	Do not get on skin or clothing. Avoid breathing dust, fume, gas, mist, vapours or spray. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
	Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.
7.2	Conditions for safe storage,	inc	luding any incompatibilities
	Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
	Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents
	Storage class (TRGS 510)	:	11, Combustible Solids
	Storage period	:	9 Months
	Recommended storage tem- perature	:	5 - 25 °C

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
15.0	26.02.2021	331788-00008	Date of first issue: 18.04.2013

7.3 Specific end use(s)

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis		
		of exposure)				
Dibenzoyl peroxide	94-36-0	AGW (Inhalable	5 mg/m3	DE TRGS		
		fraction)	- 3	900		
	Peak-limit: ex	cursion factor (categ	ory): 1:(I)			
Glycerine	56-81-5	AGW (Inhalable	200 mg/m3	DE TRGS		
		fraction)		900		
	Peak-limit: ex	cursion factor (categ	ory): 2;(l)			
	Further inform	ation: Senate comm	ission for the review of comp	ounds at the		
			th (MAK-commission)., Whe			
			al tolerance values, there is n			
	ing the unborr	5	,			
Dimethyl siloxane	67762-90-7	AGW (Inhalable	4 mg/m3	DE TRGS		
reaction with silica		fraction)	(Silica)	900		
	Further inform	ation: Senate comm	ission for the review of comp	ounds at the		
	work place da	ngerous for the heal	th (MAK-commission)., Collo	idal amorphous		
	silica, including pyrogenic silica and in wet processes manufactured silica					
	(precipitated silica, silicagel)., When there is compliance with the OEL and					
	biological tolerance values, there is no risk of harming the unborn child					
Quartz	14808-60-7	TWA (Respirable	0,1 mg/m3	2004/37/EC		
		dust)				
	Further information: Carcinogens or mutagens					
5 5						

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

П

Quartz

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Benzoic acid	65-85-0	AGW (Vapour and aerosols)	0,1 ppm 0,5 mg/m3	DE TRGS 900	
	Peak-limit: ex	cursion factor (categ		300	
	Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Sum of vapor and aerosols., Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
Benzene	71-43-2	TWA	1 ppm 3,25 mg/m3	2004/37/EC	
	Further information: Skin, Carcinogens or mutagens				
		Acceptable con- centration	0,06 ppm 0,2 mg/m3	DE TRGS 910	

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version 15.0	Revision Date: 26.02.2021	SDS Number: 331788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013	
	Furth	er information: Skin-re	sorptive	

Further information: Skin-resorptive					
Tolerable con-0,6 ppm DE TRGS					
	centration	1,9 mg/m3	910		
Peak-limit: excursion factor (category): 8 - Excursion factor according to Num-					
ber 3.2.5					
Further information: Skin-resorptive					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
1,2- Cyclohexanedicar- boxylic acid, 1,2- diisononyl ester	Workers	Inhalation	Long-term systemic effects	35 mg/m3
	Workers	Skin contact	Long-term systemic effects	41 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	21 mg/m3
	Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
Dibenzoyl peroxide	Workers	Inhalation	Long-term systemic effects	39 mg/m3
	Workers	Skin contact	Long-term systemic effects	13,3 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	0,034 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
Glycerine	Workers	Inhalation	Long-term local ef- fects	56 mg/m3
	Consumers	Ingestion	Long-term systemic effects	229 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	33 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-Cyclohexanedicarboxylic	Soil	44,7 mg/kg dry
acid, 1,2-diisononyl ester		weight (d.w.)
Dibenzoyl peroxide	Fresh water	0,02 µg/l
	Marine water	0,002 µg/l
	Intermittent use/release	0,602 µg/l
	Sewage treatment plant	0,35 mg/l
	Fresh water sediment	0,013 mg/kg
	Marine sediment	0,001 mg/kg
	Soil	0,003 mg/kg
Glycerine	Fresh water	0,885 mg/l
	Marine water	0,0885 mg/l
	Intermittent use/release	8,85 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	3,3 mg/kg dry

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

/ersion 5.0	Revision Date: 26.02.2021	SDS Number: 331788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013
		Marine sedin	weight (d.w.) nent 0,33 mg/kg dry
		Soil	weight (d.w.) 0,141 mg/kg d
.2 Expos	sure controls		weight (d.w.)
Engiı	neering measures		
Ensu	essing may form hazar re adequate ventilation nize workplace exposu	, especially in confine	
Perso	onal protective equip	ment	
Eye p	protection	Safety goggles	wing personal protective equipment: s ould conform to DIN EN 166
Hand	protection		
Br Gl	aterial eak through time love thickness rective	: Nitrile rubber : > 480 min : 0,5 mm : Equipment she	ould conform to DIN EN 374
Re	emarks	on the concen stance and sp we recommen aforementione	s to protect hands against chemicals depending tration and quantity of the hazardous sub- ecific to place of work. For special applications, d clarifying the resistance to chemicals of the ed protective gloves with the glove manufactur- ds before breaks and at the end of workday.
Skin a	and body protection	resistance dat potential. Skin contact m	riate protective clothing based on chemical a and an assessment of the local exposure nust be avoided by using impervious protective es, aprons, boots, etc).
Resp	iratory protection	sure assessmo ommended gu	cal exhaust ventilation is not available or expo- ent demonstrates exposures outside the rec- idelines, use respiratory protection. ould conform to DIN EN 14387
Fil	lter type	: Combined par	ticulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	black
Odour	:	characteristic

according to Regulation (EC) No. 1907/2006



Ver: 15.0		Revision Date: 26.02.2021	-	S Number: 788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013
	Odour ⁻	Threshold	:	No data available	9
	Melting	point/freezing point	:	No data available	e
	Initial b range	oiling point and boiling	:	No data available	e
	Flamma	ability (solid, gas)	:	Not classified as	a flammability hazard
		explosion limit / Upper bility limit	:	No data available	9
		explosion limit / Lower bility limit	:	No data available	e
	Flash p	oint	:	Not applicable	
	Auto-ig	nition temperature	:	No data available	e
		position temperature omposition tempera-	:	No data available	Ð
	pН		:	substance/mixtu	re is non-soluble (in water)
	Viscosi [.] Visc	ty :osity, kinematic	:	Not applicable	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapour	pressure	:	Not applicable	
	Density	/	:	1,59 g/cm³ (20 °0	C)
I		e vapour density	:	Not applicable	
	Particle characteristics Particle size		:	No data available	e
9.2	Other in	formation			
	Explosi	ves	:	Not explosive	
	Oxidizir	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Evapor	ation rate	:	Not applicable	
	Availab	le oxygen content	:	< 0,74 %	

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
15.0	26.02.2021	331788-00008	Date of first issue: 18.04.2013

SECTION 10: Stability and reactivity

10.1 Reactivity	
Not classified as a reactivity haz	ard.
10.2 Chemical stability Stable under normal conditions.	
10.3 Possibility of hazardous react	ions
Hazardous reactions	: Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
10.4 Conditions to avoid	
Conditions to avoid	: None known.
10.5 Incompatible materials Materials to avoid	: Oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition	: Benzoic acid
	Benzene
	Phenyl benzoate
	Biphenyl

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Skin contact
exposure		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:		
Acute oral toxicity	:	LD50 (Mouse): > 2.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity	:	LC0 (Rat): 24,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
11		

according to Regulation (EC) No. 1907/2006



Version 15.0	Revision Date: 26.02.2021		DS Number: 1788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013			
Acute	oral toxicity	:	LD50 (Rat): > 5.0	00 mg/kg			
	corrosion/irritation						
Not c	Not classified based on available information.						
Com	ponents:						
	nzoyl peroxide:						
Speci Resu		:	Rabbit No skin irritation				
Quar	tz:						
Speci		:	Rabbit				
Metho Resu		:	OECD Test Guide No skin irritation	eline 404			
Rema		:		m similar materials			
	us eye damage/eye irr es serious eye irritation.		on				
Com	ponents:						
Diber	nzoyl peroxide:						
Speci		:	Rabbit				
	Result Remarks		Irritation to eyes, reversing within 21 days Based on harmonised classification in EU regula 1272/2008, Annex VI				
Quar	tz:						
Speci		•	Rabbit				
Metho		:	OECD Test Guide	eline 405			
Resu		:	No eye irritation				
Rema	arks	:	Based on data fro	m similar materials			
Resp	iratory or skin sensitis	atic	on				
Skin	sensitisation						
Mayo	cause an allergic skin re	actio	on.				
•	iratory sensitisation						
	lassified based on availa	able	information.				
<u>Com</u>	ponents:						
Diber	nzoyl peroxide:						
Test		:	Local lymph node	assay (LLNA)			
Exposure routes : Skin contact							
Speci Resu		:	Mouse positive				
	Assessment : Probability or evidence of skin sensitisation in h			lence of skin sensitisation in humans			

according to Regulation (EC) No. 1907/2006



Version 15.0	Revision Date: 26.02.2021	SDS Number: 331788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013
Not cl	cell mutagenicity assified based on avai	lable information.	
	oonents:		
	zoyl peroxide: coxicity in vitro	: Test Type: Bac Result: negativ	terial reverse mutation assay (AMES) e
			itro mammalian cell gene mutation test Test Guideline 476 e
		Test Type: Chr Result: negativ	omosome aberration test in vitro e
Genot	oxicity in vivo	cytogenetic ass Species: Mous Application Rou	e ute: Intraperitoneal injection Test Guideline 474
Not cl. <u>Comp</u> Diben Specie Applic	ation Route sure time	lable information. : Rat : Skin contact : 104 weeks : negative	
Quart	Z:		
Specie Applic Resul Rema	ation Route t		/mist/fume) ce(s) are inextricably bound in the product and t contribute to a dust inhalation hazard.
Carcir ment	nogenicity - Assess-	: Positive eviden tion)	ce from human epidemiological studies (inhala-
Not cl	oductive toxicity assified based on avai ponents:	lable information.	
Diben	zoyl peroxide:		
	s on fertility		nbined repeated dose toxicity study with the evelopmental toxicity screening test

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

5.0	Revision Date: 26.02.2021	SDS Number: 331788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013				
			coute: Ingestion CD Test Guideline 422 tive				
Effects on foetal develop- ment		Species: Rat Application R Method: OEC	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative				
	- single exposure assified based on ava	ilable information.					
STOT	- repeated exposure	•					
Not cl	assified based on ava	ilable information.					
Comp	oonents:						
Targe	z: sure routes t Organs ssment	: Lungs	May cause damage to organs through prolonged or repeated				
-	ated dose toxicity						
Comr	oonents:						
Diber	zoyl peroxide:						
Diber Specie NOAE Applic	es EL cation Route sure time	: Rat : 500 mg/kg : Ingestion : 54 Days : OECD Test 0	Juideline 422				
Diber Speci NOAE Applic Expos	es EL cation Route sure time od	: 500 mg/kg : Ingestion : 54 Days	Suideline 422				

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to

according to Regulation (EC) No. 1907/2006



Version 15.0	Revision Date: 26.02.2021		0S Number: 1788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013		
				(f) or Commission Delegated regulation r Commission Regulation (EU) 2018/605 at higher.		
SECTIC	ON 12: Ecological infor	ma	tion			
12.1 To	cicity					
Pro	duct:					
Тох	Toxicity to fish		LC50 (Danio rerio (zebra fish)): > 500 mg/l Method: OECD Test Guideline 203			
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: OECD Test Guideline 202			
Tox icity	icity to fish (Chronic tox- ′)	:	NOEC: 250 mg/l			
aqu	icity to daphnia and other atic invertebrates (Chron- oxicity)	:	: NOEC: 100 mg/l			
	otoxicology Assessment					
Acu	te aquatic toxicity	:	No toxicity at the limit of solubility			
Chr	onic aquatic toxicity	:	: No toxicity at the limit of solubility			
<u>Co</u>	nponents:					
Dib	enzoyl peroxide:					
Тох	icity to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD T			
	icity to daphnia and other atic invertebrates	:	: EC50 (Daphnia magna (Water flea)): 0,11 mg/l Exposure time: 48 h Method: OECD Test Guideline 202			
Tox plar	icity to algae/aquatic nts	:	ErC50 (Pseudokin 0,0711 mg/l Exposure time: 72 Method: OECD T			
			NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD T			
M-F icity	``	:	10			

according to Regulation (EC) No. 1907/2006



Vers 15.0	-	Revision Date: 26.02.2021	-	DS Number: 1788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013
Toxicity to microorganisms		:	EC50 : 35 mg/l Exposure time: 0, Method: OECD T	,5 h est Guideline 209	
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)			EC10: 0,001 mg/l Exposure time: 2 Species: Daphnia Method: OECD T	1 d a magna (Water flea)	
	M-Fact toxicity	or (Chronic aquatic)	:	10	
Quartz: Toxicity to fish		:	LL50 (Danio rerio (zebra fish)): > 10.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials		
12.2	Persis	tence and degradabil	ity		
11		onents:			
Dibenzoyl peroxide: Biodegradability		:	Result: Readily biodegradable. Biodegradation: 71 % Exposure time: 28 d Method: OECD Test Guideline 301D		
12.3	Bioaco	cumulative potential			
Components: Dibenzoyl peroxide: Partition coefficient: n- octanol/water		:	log Pow: 3,2		
		ty in soil a available			
12.5	Result	s of PBT and vPvB as	sse	ssment	
	Produc Assess		: This substance/mixture contains no components considerer to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels o 0.1% or higher.		stent, bioaccumulative and toxic (PBT), or
12.6	Endoc	rine disrupting prope	ertie	S	
	Product: Assessment : The substance/mixture does not contain components co			ixture does not contain components consid-	
				15 / 19	

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version 15.0	Revision Date: 26.02.2021		DS Number: 1788-00008	Date of last issue: 21.12.2020 Date of first issue: 18.04.2013			
			ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.				
12.7 Other adverse effects No data available							
SECTION	I 13: Disposal consid	dera	ations				
13.1 Wast	e treatment methods						
Produ	lict	:	According to the E are not product sp Waste codes sho	ordance with local regulations. European Waste Catalogue, Waste Codes pecific, but application specific. uld be assigned by the user, preferably in e waste disposal authorities.			
Conta	minated packaging	:	dling site for recyc	should be taken to an approved waste han- cling or disposal. becified: Dispose of as unused product.			
Waste	e Code	:	The following Was	ste Codes are only suggestions:			
				dhesives and sealants containing organic nazardous substances			
				dhesives and sealants containing organic nazardous substances			
			uncleaned packag 15 01 10, packagi by hazardous sub	ng containing residues of or contaminated			
			Properly emptied,	ct properly emptied packaging: non-contaminated packaging of non- ets can be supplied to a system for the col- lickaging.			

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version 15.0	Revision Date: 26.02.2021	SDS Number: 331788-00008			issue: 21.12.2020 issue: 18.04.2013					
	14.4 Packing group Not regulated as a dangerous good									
	14.5 Environmental hazards Not regulated as a dangerous good									
14.6 Special precautions for user Not applicable										
14.7 Maritime transport in bulk according to IMO instruments Remarks : Not applicable for product as supplied.										
SECTIO	N 15: Regulatory info	ormation								
15.1 Safe ture	ty, health and environ	mental regulations/	legislatio	n spe	cific for the substance or mix-					
REA the n	CH - Restrictions on the narket and use of certair arations and articles (An	dangerous substan		Not	applicable					
	CH - Candidate List of S cern for Authorisation (A		ligh :	Not	applicable					
	CH - List of substances ex XIV)	subject to authorisati	ion :	Not	applicable					
	Ilation (EC) No 1005/200 the ozone layer	09 on substances that	at de- :	Not	applicable					
-	ılation (EU) 2019/1021 c (recast)	on persistent organic	pollu- :	Not	applicable					
ment	Ilation (EC) No 649/2012 and the Council concer ngerous chemicals	•		Not	applicable					
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable									
	er contaminating class many)	: WGK 1 slightly Classification a			ater SV, Annex 1 (5.2)					
Volat	ile organic compounds	emissions (inte	egrated pol	llution	vember 2010 on industrial prevention and control) OC) content: 4,3 %, 68,4 g/l					

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

according to Regulation (EC) No. 1907/2006



BASIC WIT-PM 200 - 300 ML (comp. B)

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
15.0	26.02.2021	331788-00008	Date of first issue: 18.04.2013

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information					
Other information :	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.				
Full text of H-Statements					
H241 :	Heating may cause a fire or explosion.				
H317 :	May cause an allergic skin reaction.				
H319 :	Causes serious eye irritation.				
H350i :	May cause cancer by inhalation.				
H373 :	May cause damage to organs through prolonged or repeated exposure if inhaled.				
H400 :	Very toxic to aquatic life.				
H410 :	Very toxic to aquatic life with long lasting effects.				
Full text of other abbreviations					
Aquatic Acute :	Short-term (acute) aquatic hazard				
Aquatic Chronic :	Long-term (chronic) aquatic hazard				
Carc.	Carcinogenicity				
Eye Irrit. :	Eye irritation				
Org. Perox.	Organic peroxides				
Skin Sens.	Skin sensitisation				
STOT RE :	Specific target organ toxicity - repeated exposure				
2004/37/EC :	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work				
DE TRGS 900 :	Germany. TRGS 900 - Occupational exposure limit values.				
DE TRGS 910 :	Germany. TRGS 910 - Substance-specific acceptable and tolerable concentrations and equivalence values for carcino- genic hazardous substances.				
2004/37/EC / TWA :	Long term exposure limit				
DE TRGS 900 / AGW :	Time Weighted Average				
DE TRGS 910 / Acceptable : concentration	Acceptable concentration				
DE TRGS 910 / Tolerable : concentration	Tolerable concentration				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of



BASIC WIT-PM 200 - 300 ML (comp. B)

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
15.0	26.02.2021	331788-00008	Date of first issue: 18.04.2013

Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of the mixtu	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Eye Irrit. 2	H319	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN