



TOP PRODUCTS

Cargo Division
More than a product.







Brake Cleaner

For cleaning and degreasing during maintenance and repair work. High material compatibility with paints, plastics, seals and rubber.

| Size | P.Qty. | Art.no |
|--------|--------|---------------------|
| 500ml | 1/24 | 0890 108 7 |
| 1000ml | 6 | 0890 108 100 |
| 20Ltr | 1 | 0890 108 720 |
| 25Ltr | 1 | 0890 108 725 |



Ultra 2040 Multi-Purpose Lubricant

Lubricant, penetrating and water displacing agent. Loosens seized and rusted parts. Silicone-free.

| Size | P.Qty. | Art.no |
|-------|--------|---------------------|
| 200ml | 12 | 0890 085 200 |
| 500ml | 1/24 | 0893 085 500 |
| 5Ltr | 4 | 0890 085 5 |



HHS 2000 Adhesive Lubricant

High pressure resistance. Good creep properties. Resistant to splashed water, salt water, weak acids and alkalis. Silicone, resin and acid free.

| Size | P.Qty. | Art.no |
|-------|--------|-------------------|
| 500ml | 1/12 | 0893 106 |
| 150ml | 1/12 | 0893 106 1 |



Disposable Nitrile Gloves

Silicone-free manufacturing process. Free of allergenic latex proteins. Powder-free.

| Blue | | | Black | | | Orange | | |
|------|--------|---------------------|-------|--------|---------------------|--------|--------|---------------------|
| Size | P.Qty. | Art.no | Size | P.Qty. | Art.no | Size | P.Qty. | Art.no |
| M | 100 | 0899 470 015 | M | 100 | 0899 470 870 | M | 50 | 0899 470 121 |
| L | 100 | 0899 470 016 | L | 100 | 0899 470 871 | L | 50 | 0899 470 122 |
| XL | 100 | 0899 470 017 | XL | 100 | 0899 470 872 | XL | 50 | 0899 470 123 |



Super RTV Silicone Black 200ml

High-quality adhesive and sealing compound for use in industry and the automotive sector. Excellent resistance to chemicals. Non-acidic hardening system. Can also be used in critical areas in which the seal comes into contact with various liquids.

Art.No. 0893 331 1
P.Qty. 1/12



EP2 Multi Purpose Grease 400g

Lithium soap, high pressure resistant graphite grease with EP additives. Silicone and resin free.

Art.No. 0893 870 004
P.Qty. 1/12



2C Plastic Adhesive Replast ME

2C adhesive for repairing and connecting plastic parts. Quick to harden. Excellent chemical resistance. Solvent free.

| Type | P.Qty. | Art.no |
|---------------------|--------|---------------------|
| Replast ME 30 sec | 1/6 | 0893 500 050 |
| Replast ME 90 sec | 1/6 | 0893 500 051 |
| Replast ME 210 sec | 1/6 | 0893 500 052 |
| Static Mixing Tubes | 1 | 0891 486 |



Note:

Screenwash Anti-Freeze Plus. With anti-freeze for windscreen washer systems. Suitable for fan nozzle.

Rapid Windscreen Cleaner 1:100. AOX free. Silicone free. PH Value 6-7.

Screenwash Range

Prevents smear formation. Eliminates glare and lubricant films. Ensures a crystal clear view. Removes adherent insects and other soiling. Very good material compatibility.

| Type | Size | P.Qty. | Art.no |
|-----------------------------|-------|--------|---------------------|
| Screenwash plus anti freeze | 125ml | 100 | 0892 332 001 |
| Screenwash plus anti freeze | 250ml | 24 | 0892 332 836 |
| Screenwash plus anti freeze | 5ltr | 1 | 0892 332 850 |
| Summer windscreen cleaner | 250ml | 15 | 0892 333 250 |
| Summer windscreen cleaner | 5Ltr | 1 | 0892 333 5 |



Bond & Seal 300ml

PU flexible sealer with long skin formation time. Can be ground / painted. Odour and silicon free.


| Colour | P.Qty. | Art.no |
|--------|--------|-------------------|
| White | 1/12 | 0890 100 1 |
| Grey | 1/12 | 0890 100 2 |
| Black | 1/12 | 0890 100 3 |



HSW 100 White Grease 500ml

High-quality white lubricating grease. Displaces water Anti-rust effect. The special 360 valve permits also allows use in hard to reach places.

Art.No. 0893 104 500
P.Qty. 1/12



11

Crepe Masking Tape 50mm x 50m

Slightly crepe paper adhesive tape for general masking tasks. Heat resistant to +80°C. The tape is also suited for painting tasks that require oven drying.

Art.No. 0992 505 0
P.Qty. 20



12

+ BULK BUY OPTIONS AVAILABLE

Ratchet Straps 5T

GS-certified security, double J-hook. Pressure ratchet. In accordance with EN 12195-2.

| Size | P.Qty. | Art.no |
|------|--------|---------------------|
| 8m | 1 | 0713 925 008 |
| 10m | 1 | 0713 925 010 |
| 12m | 1 | 0713 925 012 |



13



Dry Chain Lube 500ml

Lubricates and provides long-lasting care for motorcycle and other chains. Transparent, high-pressure resistant, highly adhesive lubricant. Prevents running noise and wear. Forms a quick drying, tough elastic lubricating and protective film.

Art.No. 0893 015 13
P.Qty. 1/12



14



Pressure Sprayer 1 litre

Refillable empty pump spray bottle for easy application of products from canisters or drums. Break-proof, empty 1 litre container.

| Type | P.Qty. | Art.no |
|-------------------|--------|---------------------|
| For brake cleaner | 1 | 0891 503 002 |
| For solvents | 1 | 0891 503 001 |




WÜRTH UK ONLINE SHOP!

Everything at the click of a mouse – clear, simple and fast.

Besides order data and prices, the new Würth online shop provides information on more than 20,000 products and service offers – 24 hours a day, seven days a week.

wurth.co.uk





Natural Handcleaner 4Ltr

Microplastic-free hand cleaner for medium to heavy soiling with natural abrasive agents. Solvent and silicone-free. pH-neutral.

Art.No. 0893 900 000

P.Qty. 1/6



Universal Cleaning Cloth Orange 72Pcs

Removes extremely heavy contamination such as oils, greases, adhesive, paints, tar and lubricants thoroughly and gently. Seals and rubber.

Art.No. 0890 900

P.Qty. 1/6



Industrial Strength Cleaning Wipes 72Pcs

Tough, nylon meshed, lint free wipe for removing even the most stubborn contamination from hands. Silicone free.

Art.No. 0890 900 72

P.Qty. 1



Mirror Adhesive Tape 25mm x 25m

The adhesive tape can be used both indoors and outdoors. UV and moisture resistant. Resistant to ageing.

Art.No. 0894 918

P.Qty. 1



Power Mounting Tape Grey 25mm x 10m

Extremely high and long-lasting adhesive strength. Holds up to 8 kg/25 mm width. Material is not weakened by drilling, riveting etc. Prevents rust formation.

Art.No. 0894 909 003

P.Qty. 1



Twist Drill Bit Assortment HSS DIN 338 Type RN 118° 155 pcs

Robust steel assembly drill bits for applications in steel up to 850 N/mm² strength.

Art.No. 5964 062 500

P.Qty. 1

21




**Zebra Twist Drill Bit Assortment
HSS DIN 338 Type RN 130° 82 pcs**

Steel precision drill bits for general, broad applications in steel up to 850 N/mm² strength and cast iron.

Art.No. 5964 062 400

P.Qty. 1



**WÜRTH UK
MOBILE APP!**

The multifunctional tool for smart users.

Includes barcode scanner function. Branch finder to get directions to your nearest Würth branch office. Click & Collect™ allows you to order products within a minute and pick them up fully packaged from one of the indicated Würth branch offices near you within one hour.

wurth.co.uk



22



**Twist drill bit HSCo DIN 338 type
RN 73 pcs.**

5% cobalt. Can be used in titanium and titanium alloys, in rust, acid and heat-resistant austenitic steels, in high-strength and short-chipping steels from approx. 900 N/mm² (rolling bearing steels).

Art.No. 5964 062 600

P.Qty. 1

23



Cable Ties


For quick, problem-free and reliable bundling of cables, cable harnesses, hoses etc. Resistant to bases, oils, greases and motor vehicle fuels.

| Width (mm) | Length (mm) | Bundling Ø(mm) | P.Qty. | Art.no | Art.no |
|------------|-------------|----------------|--------|--------------------|-------------------|
| 2.5 | 100 | 1.6 - 20 | 100 | 0502 11 | 0502 111 |
| 3.6 | 140 | 1.6 - 30 | 100 | 0502 12 | 0502 121 |
| 3.6 | 200 | 1.6 - 40 | 100 | 0502 13 | 0502 131 |
| 3.6 | 280 | 1.6 - 75 | 100 | 0502 135 | 0502 135 1 |
| 4.8 | 178 | 1.6 - 40 | 100 | 0502 14 | 0502 141 |
| 4.8 | 280 | 1.6 - 75 | 100 | 0502 15 | 0502 151 |
| 4.8 | 360 | 1.6 - 100 | 100 | 0502 16 | 0502 161 |
| 7.8 | 180 | 1.6 - 40 | 100 | 0502 17 | 0502 171 |
| 7.8 | 360 | 1.6 - 100 | 100 | 0502 18 | 0502 181 |
| 7.8 | 540 | 25 - 150 | 100 | 0502 19 | 0502 190 1 |
| 7.8 | 750 | 40 - 220 | 100 | 0502 181 31 | 0502 181 3 |
| 12.5 | 720 | 48 - 220 | 50 | 0502 201 | 0502 201 1 |
| 12.5 | 1000 | 48 - 300 | 50 | 0502 202 | 0502 202 2 |

Neutral

Black

24



Rost Off Black Rust Remover 500ml

Highly effective graphite-based rust remover, which can be used as rust remover, lubricant, corrosion protection, and cleaner.

Art.No. 0890 200 500

P.Qty. 1/12

25



BULK BUY OPTIONS AVAILABLE



Rost Off Blue Ice 400ml

High-quality rust remover with cracking effect due to extreme cooling and excellent creep properties. In conjunction with the cracking effect, optimum creep properties ensure excellent rust penetration.

Art.No. 0893 241

P.Qty. 1/12

26



Silicone Spray 500ml

Ensures long lasting protection, preservation and insulation of vehicle exterior and interior plastic, rubber and metal parts, with good lubricating properties.

Art.No. 0893 221

P.Qty. 1/12

27



Super Fast Glue 20g

For bonding metal, plastic and rubber parts with and to each other in a matter of seconds. The tips do not become clogged.

Art.No. 0893 09

P.Qty. 1/100

28

BULK BUY OPTIONS AVAILABLE



Note:

CU800. Temperature application range from -40°C to +1200°C for dry lubrication. Resistant to water, diluted alkalis and diluted acids. Silicone and AOX free

AL1100. Highly adhesive lubricant resistant to temperatures and high pressure. High-performance anti-seize aluminium/copper-based lubricant.

Copper / Alum Paste And Spray

| Type | Size | P.Qty. | Art.no |
|--------------|-------|--------|--------------------|
| CU800 spray | 300ml | 1/12 | 0893 800 |
| CU800 paste | 1kg | 1/6 | 0893 800 2 |
| AL1100 spray | 300ml | 1/6 | 0893 110 0 |
| AL1100 paste | 1kg | 1/6 | 0893 110 10 |



Diesel Performance Improver 300ml

Prevents deposits from building up in the combustion chamber and injection system, ensuring precise diesel injection.

Art.No. 5861 006 300
P.Qty. 1/12



DPF Cleaner 400ml

Cleaner for removing carbon and ash deposits from diesel particulate filters.

Art.No. 5861 014 500
P.Qty. 1/12



Engine Flush & Cleaner 400ml

Engine flush and cleaner cleans the inside of the engine and the oil-supplying system. Does not attack seals. Optimises exhaust emission. Compatible with catalytic converters. Loosens jammed piston rings.

Art.No. 5861 312 400
P.Qty. 1/12



WÜRTH UK SHOP NETWORK

For industry leading expert advice from our staff, a choice of over 4000 products and even join us for a coffee!

Our stores are a representation of our vast product range and what we have to offer. They are a walk in catalogue experience for you, our customers, and allow us to showcase what exactly it is Würth UK has to offer.

wurth.co.uk



32

NSF



Threadlock Screw Retainer

Tough removable screw retainer and sealing compound, single handed dispensing system.

| Type | Size | P.Qty. | Art.no |
|-----------------|------|--------|---------------------|
| Medium strength | 25g | 1 | 0893 243 025 |
| Medium strength | 50g | 1 | 0893 243 050 |
| High strength | 25g | 1 | 0893 270 025 |
| High strength | 50g | 1 | 0893 270 050 |

33

NSF



Pipe and Thread Sealant With PTFE 50g

For sealing all metallic pipe/thread connections and fittings with conical/cylindrical threads in accordance with ISO 7.1 to R3.

| Type | P.Qty. | Art.no |
|-----------------|--------|---------------------|
| Low strength | 1 | 0893 511 050 |
| Medium strength | 1 | 0893 577 050 |

34

NSF



Flange Sealant 50g

For sealing flanges and surfaces with a large gap up to max. 0.5 mm. Replacement for solid seals.

| Type | P.Qty. | Art.no |
|-----------------|--------|---------------------|
| Low strength | 1 | 0893 573 050 |
| Medium strength | 1 | 0893 574 050 |



35

NSF



Bearing Retainer 50g

Reliable hardening at low temperatures around 0°C. Completely fills extensive surface roughnesses. Prevents frictional corrosion.

| Type | P.Qty. | Art.no |
|----------------|--------|---------------------|
| High strength | 1 | 0893 603 050 |
| Heat resistant | 1 | 0893 620 050 |

37



Low Strength Hydraulic Sealant

For sealing pneumatic and hydraulic screw connections subject to high loads. With screw connections, up to the burst pressure of the pipe/hose. Low-strength, therefore to easy disassemble.

Art.No. 0893 545 050
P.Qty. 1

36



Note:

Standard. The robust cutting disc with high performance values. Optimum cutting capacity with long service life. High break resistance.

Speed Plus. Very good cutting performance with a long service life. Very fast cutting times.

Longlife & Speed. Up to 50 % more cuts possible. Significant clearance cutting and easier cutting due to extremely rough lateral surfaces.



Cutting Disc Range

| GOOD | Size | P.Qty. | Art.no |
|------------------------------|-------|--------|---------------------|
| Standard For Stainless Steel | 115mm | 100 | 0669 230 111 |
| Standard For Stainless Steel | 125mm | 100 | 0669 230 121 |
| Standard For Stainless Steel | 230mm | 25 | 0669 230 231 |

| BETTER | Size | P.Qty. | Art.no |
|--------------------------------|-------|--------|---------------------|
| Speed Plus For Stainless Steel | 76mm | 10 | 0664 130 761 |
| Speed Plus For Stainless Steel | 115mm | 25 | 0664 131 150 |
| Speed Plus For Stainless Steel | 125mm | 25 | 0664 131 250 |
| Speed Plus For Stainless Steel | 230mm | 1/25 | 0664 132 301 |

| BEST | Size | P.Qty. | Art.no |
|--|-------|--------|---------------------|
| Longlife & Speed For Steel & Stainless Steel | 115mm | 25 | 0664 631 150 |
| Longlife & Speed For Steel & Stainless Steel | 125mm | 25 | 0664 631 250 |
| Longlife & Speed For Steel & Stainless Steel | 230mm | 25 | 0664 632 302 |

38




Blue Paper Roll

Fits all common dispensers. Very absorbent. Highly absorbent and tear-proof. Different ply and widths. Virtually lint-free. Food-safe.

| Type | P.Qty. | Art.no |
|------|--------|---------------------|
| 3ply | 1 | 0899 900 602 |
| 2ply | 2 | 0899 900 401 |
| 2ply | 6 | 0899 800 485 |

39

BULK BUY
OPTIONS
AVAILABLE



Hand Lever Grease Gun

(DIN 1284, 235 x Ø 53.5 mm) or for 500 cm³ loose grease. Feed quantity can be dispensed up to 1.5 cm³. Working pressure 400 bar. Maximum pressure up to over 800 bar. Actuating force 50 to 330 N with feed pressures from 50 to 400 bar.

Art.No. 0986 00

P.Qty. 1

40



HHS 500

EP long-life spray grease with a high protective factor against weathering and environmental influences.

Art.No. 0893 106 5

500ml | P.Qty. 1/12

41



Cleaning Cloths

All-purpose weapon against dirt, liquids and contaminants that can be removed with a simple wipe. Good absorbency Recycled cuttings. Can be used multiple times.

| Type | P.Qty. | Art.no |
|--------------|--------|---------------------|
| Coloured Mix | 1 | 9501 015 430 |
| White Eco | 1 | 9501 015 445 |

42



Oil Binding Cloth Grey 75pcs

For absorbing oils and chemicals. Retention capacity is 25 times that of its own weight. Hygienic and safe.

Art.No. 0899 900 290

P.Qty. 1

43




Cockpit Care Spray 400ml

Provides outstanding cleaning power and gentle care in a single step. For universal use on all plastic components in the vehicle interior.

Art.No. 0890 222 1

P.Qty. 1/24



Check out our Safety Data Sheets!

Safety Data Sheets are documents which are required for chemical products. A safety data sheet explains both the risks that are associated with the product, as well as the measures that should be taken to avoid the risks.

wurth.co.uk

44



Super Quick Fresh 150ml

Reduces unpleasant odours with long-lasting fresh scent. Has a preventive effect against bacteria and fungi. One can = one application.

| Scent | P.Qty. | Art.no |
|---------|--------|---------------------|
| Linen | 1/12 | 0893 764 550 |
| Apple | 1/12 | 0893 764 540 |
| Coconut | 1/12 | 0893 764 530 |
| Citrus | 1/12 | 0893 764 520 |

45



Compressed Air Spray 200ml

Effortlessly removes dust in hard-to-reach . Can be used in low-voltage areas meeting VDE 0100 (voltage range: <50 V (AC), <120 V (DC)) even while energised.

Art.No. 0893 620 200

P.Qty. 1/24

46



BULK BUY OPTIONS AVAILABLE



Fifth Wheel Grease 12.5kg

Lubricating grease for fifth wheel couplings with high pressure resistance. Outstanding adhesion on cast iron or sheet steel fifth-wheels. Easy removal. Completely insoluble in water.

Art.No. 0893 105 125

P.Qty. 1

47

+ BULK BUY
OPTIONS
AVAILABLE



Absorbant Cleaning Cloth 100Pcs

Absorbs liquids up to 12x its own weight. Can be used for all types of liquids, for example, anti-freeze, washing water, oils.

Art.No. 0899 900 212

P.Qty. 100

49

+ BULK BUY
OPTIONS
AVAILABLE



Active Glass Cleaner 500ml

Active cleaning foam for streak-free cleaning on glass and smooth surfaces. Saves money thanks to 20x yield

Art.No. 0890 25

P.Qty. 1/12

48



Tool Case Assortment

Especially suitable for electric and hybrid vehicles. Case containing a wide range of the most important VDE tools and accessories. Suitable for vehicles from any manufacturer.

| Type | System case | P.Qty. | Art.no |
|-------|-------------|--------|---------------------|
| 32pcs | 8.4.2 | 1 | 5964 502 002 |
| 16pcs | 8.4.1 | 1 | 5964 502 001 |

Note:

VDE tools are suitable for working on live parts up to 1000 V (AC) and up to 1500 V (DC), observing all prescribed safety precautions.

50

+ BULK BUY
OPTIONS
AVAILABLE



Underseal 1000ml

Bitumen-based coating compound containing solvents, cannot be painted over. Resistant to splash water and salt water, weak acids and bases.

Art.No. 0892 072

P.Qty. 1/12

51



1/4 Inch And 1/2 Inch Socket Wrench Assortment 56 Pcs

Extensive 1/4 inch and 1/2 inch combination assortment for a very wide range of applications, ratchets with turntable reverse.

Art.No. 0965 175 6

P.Qty. 1

52




Crimp Cable Lugs 6.3 x 0.8mm

Flat plug-in sleeve PVC fully insulated. For fine and superfine stranded copper conductors.

| Size | Colour | P.Qty. | Art.no |
|-------------------------|--------|--------|--------------------|
| 0.5-1 mm ² | Red | 100 | 0558 905 11 |
| 1.5-2.5 mm ² | Blue | 100 | 0558 905 22 |

53

+ BULK BUY
OPTIONS
AVAILABLE



Heat Shrink Crimp Butt Connector

40% quicker shrinking behaviour. Low shrinking temperature of +100°C.

| Size | Colour | P.Qty. | Art.no |
|------------------------|--------|--------|-------------------|
| 0.5-1.5mm ² | Red | 25 | 0555 516 1 |
| 1.5-2.5mm ² | Blue | 25 | 0555 516 2 |
| 4.0-6.0mm ² | Yellow | 25 | 0555 516 4 |

54



Vehicle Line FLRY Flat Cable Black 2 x 1.5mm

Nominal voltage: U ~ = 50 V, U - = 60 V
Silicone-, cadmium- and lead-free. In accordance with/similar to DIN/ISO 6722.

Art.No. 0770 202
P.Qty. 1



55



Twist Drill Bit Box HSS DIN 388 Type RN 19pcs

Cold-formed assembly drill bits for working in steel, tip angle 118°. 1mm-10mm.

Art.No. 0625 01
P.Qty. 1

56



Thin Walled Heat Shrink Hose Assortment 130Pcs

Shrink rate 2:1 without internal adhesive.
Contents: 20 x 2.4-1.2mm, 20 x 3.2-1.6mm, 20 x 4.8-2.4mm, 20 x 6.4-3.2mm, 20 x 9.5-4.8mm, 10 x 12.7-6.4mm, 10 x 19-9.5mm, 10 x 25.4-12.7mm.

Art.No. 5964 077 100
P.Qty. 1

57



HES 412 Handheld Setting Pliers 16pcs

Hand-held rivet setting pliers with quick-change system for use with M4 to M12 blind rivet nuts and bolts. Requires less force compared to manual setting pliers.

Art.No. 5964 094 803
P.Qty. 1

58



Oil Binding Granulas 10Kg

Highly effective, quick-acting oil binding granules for universal use (type III/R).

Art.No. 0890 61
P.Qty. 1

59



Battery Terminal Protector 150ml

Long-term and temperature-resistant protection for battery terminals. Protects battery terminals, pole terminals and plug connections from corrosion, weather and battery acids.

Art.No. 0890 104
P.Qty. 1/12

60



Super De-Icer Spray

Quickly and effectively removes ice and white frost. Even heavily iced windows are quickly and effectively cleared of ice and white frost.

Art.No. 0892 331 201
P.Qty. 1/12

61



Gear Wheel Spray

Black, shear-resistant, high-pressure resistant special lubricant. Silicone-, resin-, acid- and bitumen-free.

Art.No. 0893 105 5

P.Qty. 1/12



62



Industry Cleaner

High-quality special cleaner for removing adhesive tape residue, labels and film stickers as well as stubborn dirt. NSF-certified.

Art.No. 0893 140

P.Qty. 1/12

63



Active Interior Cleaner

Special cleaning foam with anti-static additive for the entire vehicle interior. Cleans all painted and plastic parts, glass surfaces and upholstery. Removes nicotine odours and leaves a pleasant fresh scent in the interior.

Art.No. 0893 033

P.Qty. 1/24

64



LED Mini Hand-Held Light Foldable

Articulated magnetic LED hand-held light, compact version. 8 SMD LEDs for the lamp function and 1 SMD LED for the torch function. The lamp can be recharged via the mains supply or any other device equipped with a USB connector.

Art.No. 0827 940 600

P.Qty. 1

65



ADBLUE® For Diesel Engines With SCR Exhaust Gas After-treatment

32.5% aqueous solution to reduce nitrogen oxide emissions. Complies with ISO specification ISO 22241-1.

| Size | P.Qty. | Art.no |
|------|--------|---------------------|
| 5L | 1 | 9501 010 783 |
| 10L | 1 | 5861 700 002 |

66



Note:

Biodegradable in accordance with OECD302

B. Silicone and AOX-free



67



Checkpoint® Wheel Nut Indicator

Made from virgin polymer, resistant from water, road salt, oil, detergents and most other solvents or contaminants.

| Size | Colour | P.Qty. | Art.no |
|-------|--------|--------|---------------------|
| 7 mm | Yellow | 100 | 0879 000 027 |
| 17 mm | Yellow | 100 | 0879 000 017 |
| 17 mm | Red | 100 | 0879 000 117 |
| 18 mm | Yellow | 100 | 0879 000 018 |
| 18 mm | Red | 100 | 0879 000 118 |
| 19 mm | Yellow | 100 | 0879 000 019 |
| 19 mm | Red | 100 | 0879 000 119 |
| 21 mm | Yellow | 100 | 0879 000 021 |
| 21 mm | Red | 100 | 0879 000 121 |
| 24 mm | Yellow | 100 | 0879 000 024 |
| 24 mm | Red | 100 | 0879 000 124 |
| 27 mm | Red | 100 | 0879 000 127 |
| 30 mm | Yellow | 100 | 0879 000 030 |
| 30 mm | Red | 100 | 0879 000 130 |
| 32 mm | Yellow | 100 | 0879 000 032 |
| 32 mm | Red | 100 | 0879 000 132 |
| 33 mm | Yellow | 100 | 0879 000 033 |

Universal Cleaner, Liquid Green

Powerful multi-purpose cleaner with great grease and resin dissolving capacity. Does not attack paint, chrome, plastic, rubber or metal surfaces.

| Size | P.Qty. | Art.no |
|-------|--------|-------------------|
| 500ml | 1/12 | 0893 474 |
| 5L | 1 | 0893 474 5 |

68



Blind Sport Warning Triangle

Blind Spot Label for Truck. Simple, fast, and bubble-free bonding thanks to self-adhesive polymer PVC digital print film.

Size: 170 x 250mm

Art.No. 0812 965 100
P.Qty. 50

69



Plastic Dyer Plast PT 75ml

For visual care of all plastic parts on a vehicle. Free from solvents. High-quality, emulsion-based plastic paint.

| Colour | P.Qty. | Art.no |
|------------|--------|-------------------|
| Black | 1/12 | 0893 280 1 |
| Anthracite | 1/12 | 0893 280 2 |

70**Plastic Care**

High-quality care wax for all outdoor plastic and rubber parts. Excellent colour refreshing and silk-matt gloss.

Art.No. 0893 477

P.Qty. 1

71**Full-Vision Goggles Andromeda®**

Two-component technology for reliable protection and maximum comfort. Panoramic field of vision. Optimum ventilation for ideal eye comfort.

Art.No. 0899 102 110

P.Qty. 1

72**Wire Cable Spray**

Protective wax with OMC₂ for lubricating and preserving. Does not drip as heat increases. Silicone, resin and AOX-free.


Art.No. 0893 105 8

P.Qty. 1/12



DON'T GET CAUGHT OUT!

73



Windscreen Flat Wiper Blades

Universal car flat wiper with maximum performance.

| Size | P.Qty. | Art.no |
|------|--------|---------------------|
| 16in | 1 | 0848 036 400 |
| 18in | 1 | 0848 036 450 |
| 19in | 1 | 0848 036 475 |
| 21in | 1 | 0848 036 530 |
| 22in | 1 | 0848 036 550 |
| 24in | 1 | 0848 036 600 |
| 26in | 1 | 0848 036 650 |
| 28in | 1 | 0848 036 700 |

74



Premium Wiper Blades

A windscreen wiper which meets all OE specifications, made in Germany.

| Type | Adapter | Size | P.Qty. | Art.no |
|--------------------|---------------|--------|--------|---------------------|
| Bus | N11, N12, N14 | 800mm | 1 | 0848 090 801 |
| Bus | C1 | 900mm | 1 | 0848 090 901 |
| Bus | N15 | 900mm | 1 | 0848 090 900 |
| Bus | 22, 25, 27 | 1000mm | 1 | 0848 090 000 |
| Truck, Transporter | U | 500mm | 2 | 0848 090 502 |
| Truck, Transporter | T16 | 550mm | 2 | 0848 090 551 |
| Truck, Transporter | T7, T8, T11 | 600mm | 2 | 0848 090 603 |
| Truck, Transporter | T7, T8, T11 | 650mm | 2 | 0848 090 652 |
| Truck, Transporter | T14 | 650mm | 2 | 0848 090 653 |

75



Redline Wiper Blades

For commercial vehicles. Heavy Duty.

| Type | Size | P.Qty. | Art.no |
|--------|--------|--------|---------------------|
| U Hook | 600mm | 1 | 0848 280 600 |
| U Hook | 600mm | 1 | 0848 280 603 |
| U Hook | 650mm | 1 | 0848 280 650 |
| U Hook | 650mm | 1 | 0848 280 653 |
| U Hook | 700mm | 1 | 0848 280 700 |
| U Hook | 700mm | 1 | 0848 280 703 |
| U Hook | 1000mm | 1 | 0848 282 000 |
| Saddle | 1000mm | 1 | 0848 281 000 |
| Saddle | 800mm | 1 | 0848 281 800 |
| Saddle | 900mm | 1 | 0848 281 900 |

76



Windscreen Standard Wiper Blades

With premounted multi-adapter.

| Size | P.Qty. | Art.no | Size | P.Qty. | Art.no |
|------|--------|---------------------|------|--------|---------------------|
| 11in | 1 | 0848 070 280 | 19in | 1 | 0848 070 475 |
| 12in | 1 | 0848 070 300 | 20in | 1 | 0848 070 500 |
| 13in | 1 | 0848 070 325 | 21in | 1 | 0848 070 525 |
| 14in | 1 | 0848 070 350 | 22in | 1 | 0848 070 550 |
| 15in | 1 | 0848 070 380 | 24in | 1 | 0848 070 600 |
| 16in | 1 | 0848 070 400 | 26in | 1 | 0848 070 650 |
| 17in | 1 | 0848 070 425 | 28in | 1 | 0848 070 700 |
| 18in | 1 | 0848 070 450 | 28in | 1 | 0848 036 700 |



PAINTSPRAY QUATTRO

Versatile, satin-finished thick-coat spray paint with excellent coverage and anti-rust properties.

Corrosion protection

- Easy-to-apply coating that does not run ensures 100% resistance to weathering and UV (after min. 500 hours of salt spray testing, no surface rust detectable)
- Can be used on residual rust. Priming is not necessary.

Primer

Outstanding adhesion to virtually all surfaces. Can be painted with virtually all commercially available paints.

Lacquer

- Excellent coverage. Very good coverage properties
- Dries extremely quickly
- Highly elastic
- High degree of shock and impact resistance
- Good edge coverage

Supplied with fan nozzle

Low-mist, fatigue-free and metered spraying via special valve.

| Colour | RAL | Art.no |
|--------|------|---------------------|
| | 1003 | 0893 391 003 |
| | 1007 | 0893 391 007 |
| | 1028 | 0893 391 028 |
| | 3000 | 0893 393 000 |
| | 5002 | 0893 395 002 |
| | 5003 | 0893 395 003 |
| | 5010 | 0893 395 010 |
| | 6005 | 0893 396 005 |
| | 7016 | 0893 397 016 |
| | 7035 | 0893 397 035 |
| | 9005 | 0893 399 005 |
| | 9010 | 0893 399 010 |





THE NEW 12 & 24V BULB RANGE. OUT NOW!



NEOLUX®
GERMAN TECHNOLOGY

OSRAM

| BS No. | ECE | Fitting | Watts | Pack | Line | Colour | Neolux | Würth Neolux | Osram | Würth Osram |
|---------|--------|-----------|--------|--------|------------|--------|--------|-------------------|----------|-------------------|
| 239 | C5W | SV8.5-8 | 5W | Pack | Standard | Clear | N239 | 9501015873 | 6418 | 9501015899 |
| 239 | C5W | SV8.5-8 | 5W | Single | Standard | Clear | N239S | 9501015885 | - | - |
| 448 | H1 | P14.5S | 55W | Single | Standard | Clear | N448 | 9501015866 | 64150 | 9501015907 |
| 711 | H11 | PGJ19-2 | 55W | Single | Standard | Clear | - | - | 64211 | 0720118111 |
| - | H21W | BAY9S | 21W | Single | Standard | Clear | N435 | 9501016048 | - | - |
| 453 | H3 | PK22S | 55W | Single | Standard | Clear | N453 | 9501015880 | 64151 | 9501015913 |
| 472 | H4 | P43T | 60/55W | Single | Standard | Clear | N472 | 9501015865 | 64193 | 0720110112 |
| 499L | H7 | PX26D | 55W | Single | Long Life | Clear | N499LL | 9501015896 | - | - |
| 477/499 | H7 | PX26D | 55W | Single | Standard | Clear | N499 | 9501015864 | 64210 | 0720118091 |
| 477/499 | H7 | PX26D | 55W | Single | Ultra Life | Clear | - | - | 64210ULT | 9501015898 |
| - | HIR2 | PX22D | 55W | Single | Standard | Clear | - | - | 9012 | 0720110461 |
| - | HS1 | PX43T | 55W | Single | Standard | Clear | - | - | 64185 | 9501015906 |
| 566 | P21/4W | BAZ15D | 21/4W | Pack | Standard | Clear | - | - | 7225 | 9501015917 |
| 380 | P21/5W | BAY15D | 21/5W | Pack | Standard | Clear | N380 | 9501015890 | 7528 | 9501015914 |
| 380 | P21/5W | BAY15D | 21/5W | Single | Standard | Clear | N380S | 9501015886 | - | - |
| 382 | P21W | BA15S | 21W | Pack | Standard | Clear | N382 | 9501015889 | 7506 | 9501015915 |
| 382 | P21W | BA15S | 21W | Single | Standard | Clear | N382S | 9501015887 | - | - |
| 581 | PY21W | BAU15S | 21W | Pack | Standard | Orange | N581 | 9501015891 | 7507 | 9501015916 |
| 581 | PY21W | BAU15S | 21W | Single | Standard | Orange | N581S | 9501015888 | - | - |
| 245 | R10W | BA15S | 10W | Pack | Standard | Clear | N245 | 9501015884 | 5008 | 9501015919 |
| 245 | R10W | BA15S | 10W | Single | Standard | Clear | N245S | 9501015882 | - | - |
| 207 | R5W | BA15S | 5W | Pack | Standard | Clear | N207 | 9501015883 | 5007 | 9501015918 |
| 207 | R5W | BA15S | 5W | Single | Standard | Clear | N207S | 9501015881 | - | - |
| 233 | T4W | BA9S | 4W | Single | Standard | Clear | N233S | 9501015895 | 3893 | 9501015905 |
| 286 | W1.2W | W2X4.6D | 1.2W | Pack | Standard | Clear | - | - | 2721 | 9501015912 |
| 286 | W1.2W | W2X4.6D | 1.2W | Single | Standard | Clear | N286S | 9501015877 | - | - |
| 921/955 | W16W | W2.1X9.5D | 16W | Pack | Standard | Clear | N921 | 9501015879 | 921 | 9501016046 |
| 580 | W21/5W | W3X16Q | 21/5W | Pack | Standard | Clear | N580 | 9501015878 | - | - |
| 582 | W21W | W3X16D | 21W | Pack | Standard | Clear | N582 | 9501015874 | - | - |
| 501 | W5W | W2.1X9.5D | 5W | Pack | Standard | Clear | N501 | 9501015897 | 2825 | 9501015909 |
| 501 | W5W | W2.1X9.5D | 5W | Single | Standard | Orange | N501AS | 9501015875 | - | - |
| 501 | W5W | W2.1X9.5D | 5W | Single | Standard | Clear | N501S | 9501015876 | - | - |
| 528A | WY21W | W3X16D | 21W | Single | Standard | Orange | N585S | 9501016045 | - | - |
| 501A | WY5W | W2.1X9.5D | 5W | Pack | Standard | Clear | - | - | 2827NA | 072027122 |

NEOLUX[®]
GERMAN TECHNOLOGY

OSRAM

| BS No. | ECE | Fitting | Watts | Pack | Line | Colour |
|----------|--------|-----------|--------|--------|-----------|--------|
| 466 | H1 | P14.5S | 70W | Single | Standard | Clear |
| - | H11 | PGJ19-2 | 70W | Single | Truckstar | Clear |
| 460 | H3 | PK22S | 70W | Single | Standard | Clear |
| 475 | H4 | P43T | 75/70W | Single | Standard | Clear |
| 499A | H7 | PX26D | 70W | Single | Standard | Clear |
| 334 | P21/5W | BAY15D | 21/5W | Pack | Standard | Clear |
| 346 | P21W | BA15D | 21W | Pack | Standard | Clear |
| 241 | P21W | BA15S | 21W | Pack | Standard | Clear |
| 241 | P21W | BA15S | 21W | Pack | Truckstar | Clear |
| 588HDLL+ | PY21W | BAU15S | 21W | Pack | Truckstar | Clear |
| 246 | R10W | BA15S | 10W | Pack | Standard | Clear |
| 149 | R5W | BA15S | 5W | Pack | Standard | Clear |
| 507 | W5W | W2.1X9.5D | 5W | Pack | Standard | Clear |

| Neolux | Würth Neolux | Osram | Würth Osram |
|--------|-------------------|----------|-------------------|
| N466 | 9501015969 | 64155 | 9501015900 |
| - | - | 64216TSP | 0720118211 |
| N460 | 9501015967 | 64156 | 9501015902 |
| N475 | 9501015968 | 64196 | 9501015901 |
| N499A | 9501015970 | 64215 | 0720114200 |
| N334 | 9501015972 | 7537 | 9501016047 |
| N346 | 9501016036 | - | - |
| N241 | 9501016016 | - | - |
| - | - | 7511TSP | 9501015904 |
| - | - | 7510TSP | 0720132239 |
| N246 | 9501016015 | 5637 | 0720141220 |
| N149 | 9501015997 | 5627 | 9501015903 |
| N507 | 9501015971 | 2845 | 9501015920 |

Visit us online to see our full range!

wurth.co.uk



Scan to see the full range
or visit us online at wurth.co.uk

WOW! COOLIUS

Professional air conditioning service equipment.

Powerful and robust premium class service unit for fully automatic A/C service with the refrigerant R1234yf with integrated refrigerant analysis unit.

Ideally suited for servicing cars, vans, commercial vehicles, construction site vehicles and agricultural vehicles.

The size of the products may deviate from reality. Please refer to the technical data for the dimensions of the products.

**OUR REFERENCE IN
AIR CONDITIONING
SERVICE!**

Y50A | Art. no.: W050 115 020

Y50 | Art. no.:



COOLIUS Y50A





Get an overview about our **Coolius series:**

Overview about the **Y Series** in our short Video:

Overview about the **A Series** in our short Video:

Y10 | Art. no.: W050 111 000
 A10 | Art. no.: W050 101 000
 A30BUS | Art. no.: W050 103 030
 A50 | Art. no.: W050 105 000



Especially on hot summer days, professional air conditioning service represents a lucrative and secure business model for many workshops. Whether bad odors or loss of refrigerant - regular maintenance of the air conditioning system is always recommended.

The air conditioning service units from WOW! Würth Online World offer workshops high-grade and innovative systems for fully automatic A/C service with the refrigerants R134a and R1234yf. Above all, the COOLIIUS series stands for qualitatively convincing A/C service units from our own production in Italy, which are ideally suited for servicing cars, vans, commercial vehicles, construction site vehicles and agricultural vehicles.



TOP PRODUCTS

Cargo Division

More than a product.

Würth UK Ltd.

1 Centurion Way, Erith
Kent, DA18 4AE
United Kingdom

T: 03300 555 444

F: 03300 555 666

E: contact@wurth.co.uk

www.wurth.co.uk

Reprint only with prior permission.

WUK - 01/23

Printed on environmentally friendly paper.

All information and prices are correct at the time of going to print and may change without notice. We reserve the right to make any changes we deem necessary to improve illustrations include sample illustrations and may differ in appearance from the actual goods delivered. Errors excepted. We do not accept any liability for printing errors. Our general terms and conditions apply. While we endeavour to hold sufficient stock to meet all orders, if we have insufficient stock this item will be placed on back order (excluding discontinued/end of line or (while stocks last) for your account and delivered as soon as stock becomes available. Some products are directly delivered from Germany and may take 3 - 5 working days to arrive. Please note: Non-stocked products may be subject to a lead time. Please check with your local sales consultant.